

MIAMI-DADE COUNTY UNIFORM RETROFIT WINDOW & DOOR SCHEDULE

PAGE 1 OF 1

NAME: NICHOLAS A MOURIZ SITE ADDRESS: 5820 SW 99 TER MIAMI FL 33156 CONTACT#: 305-885-0678

1	2	3		4		5			6		7		8		9		10	
OPENING LOCATIO N ID	PRODUCT ACCEPTANCE NUMBER	PRODUCT APPROVAL PRESSURE RATING (per shutter span "L")		REQUIRED DESIGN PRESSURE		OPENING SIZES			ZONE LOCATION		Impact Glazing		OPENING HAS EXISTING SHUTTERS		NEW SHUTTERS REQUIRED		MULLION TUBES REQUIRED	
		(+) PSF	(-) PSF	(+) PSF	(-) PSF	WIDTH X HEIGHT IN INCHES		AREA IN SQ FEET	4 INTER	5 END	YES	NO	YES	NO	YES	NO	YES	NO
1	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 48	7.54	_	YES	YES	_	_	NO	_	NO	_	NO
2	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 18	2.83	_	YES	YES	_	_	NO	_	NO	_	NO
3	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 48	7.54	_	YES	YES	_	_	NO	_	NO	_	NO
4	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 18	2.83	_	YES	YES	_	_	NO	_	NO	_	NO
5	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 48	7.54	_	YES	YES	_	_	NO	_	NO	_	NO
6	NOA FL32389.7	70.0	75.0	40.4	54.1	22 5/8	X 18	2.83	_	YES	YES	_	_	NO	_	NO	_	NO
7	NOA FL41650.1	70.0	75.0	40.4	54.1	37	X 56	14.39	_	YES	YES	_	_	NO	_	NO	_	NO
8	NOA FL39630.2	70.0	75.0	36.7	40.2	72	X 80	40.00	YES	_	YES	_	_	NO	_	NO	_	NO
9	NOA FL41650.1	70.0	75.0	40.4	54.1	37	X 56	14.39	_	YES	YES	_	_	NO	_	NO	_	NO
10	NOA FL41650.1	70.0	75.0	40.4	54.1	30	X 50 5/8	10.55	_	YES	YES	_	_	NO	_	NO	_	NO
11	NOA FL41650.1	70.0	75.0	40.4	54.1	30	X 50 5/8	10.55	_	YES	YES	_	_	NO	_	NO	_	NO

8-Jul

IDENTIFY VERTICALLY STACKED GLASS IN THE SAME OPENINGS FROM BOTTOM TO TOP WITH SUB NUMBERS (Example: A, A1,A2, ETC.)