



NODAL STRUCTURES, INC.
STRUCTURAL ENGINEERS

CARLOS A. NODAL - P.E. #49285
10316 N.W. 55TH STREET
SUNRISE, FLORIDA 33351
ph. (954) 741-2572 Fax. (954) 741-86

SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES

DATE: 04-11-2023
DRAWN BY: C.A.
CHECKED BY: C.N.
SCALE: 1/4"=1'-0"

SHEE

OF 9 SHEETS



- CONTRACTOR SHALL COORDINATE AND VERIFY ALL DIMENSION, SIZE AND LOCATIONS OF ALL WINDOW/DOOR OPENINGS AND OPENINGS IN SLAB WITH ARCHITECTURAL DETAILS.
- FILLED CLOSING ON THIS SHEET INDICATES SECOND LIFT FILLED CELL LOCATIONS.
- PROVIDE 30 LB FELT PAPER AT ALL CONTACT POINTS BETWEEN PT WOOD AND MASONRY (TYP.)
- PRE-ENGINEERED WOOD ORDERS WILL BE DESIGNED FOR A MAXIMUM DEFLECTION OF 1/4" TYPICAL.
- ALL WELDS TO BE DONE BY CERTIFIED WELDER PER AWS D.11. USE E70XX SERIES RODS FOR ALL WELDS. (TYP.)
- DELEGATED TRUSS ENGINEER SHALL PROVIDE SHOP DRAWINGS AND CALCULATIONS FOR ENGINEER OF RECORD REVIEW AND APPROVAL.

UPPER ROOF FRAMING PLAN

SCALE: $3/16" = 1'-0"$