





VILLAGE OF PINECREST PUBLIC WORKS
TYPICAL SWALE DETAIL

2021



BERM DETAIL

Date: 7/6/2023
Document: 7725 SW 114TH ST., VILLAGE OF PINECREST, FL
Project Manager: CMB
Project Name: 7725 SW 114TH ST., VILLAGE OF PINECREST, FL

PRE-DEVELOPMENT CONDITION			
Summary			
	Definitions	Project Information	Comments
I	Rainfall produced during 10 years, 24 hour storm event (Per Figure C-3 SFWMD) - (in)	8.75	(with 1.25 Safety Factor)
S	Soil storage capacity (in)		
A	Site total area (sf)	39,493	
Per	Pervious area - grass, gravel... (sf)	21,290	
Imp	Impervious area - roof, pavement, walkways, decks	18,203	
R	Run off depth (in)		
V	Volume of runoff (cubic feet)		
WE	Compacted water storage (in)		
AEPA	Average elevation of Pervious Areas (ft)	11.50	
HGWE	High ground water elevation (ft)	4.50	Also check the geotechnical engineer's report
DW	Distance between Avg Elevation of Pervious Areas and the High Ground Water Elevation	7.00	AEPA - HGWE = Depth to Water table - DW

Detailed Project Information:			
Impervious areas	Description	Pervious areas	Description
Imp_1	8,471 bldg, driveway & decks	Per_1	31,022 grass
Imp_2		Per_2	pool
Tot_Imp =	8471	Tot_Per =	31022

Soil Storage Capacity Calculations (S)			
Depth to Water Table	WE Compacted Water Storage (in)		
1	0.45	S= Pervious Area * WE Site Total Area	
2	1.88		
3	4.95		
4	8.18		
		39493	
WE = 8.18		S= 6.43	

Runoff Depth Calculation (R)	
R= (I-0.2 * S)^.2 (1 + 0.8 * S)	R= 4.01 in

Pre-Development Total Runoff Volume (V)	
V= A * R / 12	PRE-DEV. Vol= 13,203 Cubic feet

Date: 7/6/2023
Document: 7725 SW 114TH ST.
Project Manager: CMB
Project Name: 7725 SW 114TH ST.

POST DEVELOPMENT CONDITION			
	Definitions	Project Information	Comments
I	Rainfall produced during 10 years, 24 hour storm event (Per Figure C-3 SFWMD) - (in)	8.75	(with 1.25 Safety Factor)
S	Soil storage capacity (in)		
A	Site total area (sf)	39,493	
Per	Pervious area - grass, gravel... (sf)	21,290	
Imp	Impervious area - roof, pavement, walkways, decks	18,203	
R	Run off depth (in)		
V	Volume of runoff (cubic feet)		
WE	Compacted water storage (in)		
AEPA	Average elevation of Pervious Areas (ft)	11.50	
HGWE	High ground water elevation (ft)	4.50	Also check the geotechnical engineer's report
DW	Distance between Avg Elevation of Pervious Areas and the High Ground Water Elevation	7.00	AEPA - HGWE = Depth to Water table - DW

Detailed Project Information:			
Impervious areas	Description	Pervious areas	Description
Imp_1	18,203 bldg, driveway & decks	Per_1	21,290 grass
Imp_2	0 85' x 4' exf. trench area outside court	Per_2	1364 POOL
Tot_Imp =	18203	Tot_Per =	22654

Soil Storage Capacity Calculations (S)			
Depth to Water Table	WE Compacted Water Storage (in)		
1	0.45	S= Pervious Area * WE Site Total Area	
2	1.88		
3	4.95		
4	8.18		
		39493	
WE = 8.18		S= 4.69	

Runoff Depth Calculation (R)	
R= (I-0.2 * S)^.2 (1 + 0.8 * S)	R= 4.88 in


Volume of Runoff (V)
NOTE: During the Post-Development condition, the volume of runoff generated during the 10-year, 24-hour storm (V) is shown below.

V= A * R / 12 V= 16,061 Cubic feet

Volume of retention provided					
Volume of swales					
Retention	A1 (Ft^2)	Ao (Ft^2)	A average (Ft)	h (ft)	Volumen (Ft^3)
N	3879	3907	3693.00	1.5	5540
S	5443	4330	4886.50	1.5	7225
E	2539	1917	2228.00	1.5	3342
W	2590	2172	2381.00	1.5	3572
	0	0	0.00	0	0
			Total		19678

Volume of runoff	>	Volume of Retention
------------------	---	---------------------

Conclusion	
Volume of runoff retained by the retention areas (cf) =	19,678
Volume of runoff retained by the Exfiltration Trench (cf) =	(3,617)
Total runoff volume retained (cf) =	16,061



TYPICAL DRIP IRRIGATION LAYOUT

NIS

CMBeng
Consulting • Design
CMB eng. llc. 14850 SW 26 St. #215 Miami, Florida 33185
O. 786.375.5348 • CMB@CMBeng.com

L.C. No. 35097
www.CMBeng.com

Edmundo Largaespada, P.E.
Professional Engineer
P.E. No. 0058915

Project No.: 22_0012

DATE : 03/23/2023
SCALE : AS SHOWN
DRAWN :
CHECK BY:
JOB NO. : 23_0012

SD-2

SHEET NO. :

NEW CONSTRUCTION AT PINECREST RESIDENCE:
BY HERITAGE HOME BUILDERS, LLC.
7725 SOUTHWEST 114 STREET
VILLAGE OF PINECREST, FL 33156

SEAL:

Digitally signed
by Edmundo
Largaespada
Date: 2023.10.26
09:52:40 -0400'

DATE : 03/23/2023
SCALE : AS SHOWN
DRAWN :
CHECK BY:
JOB NO. : 23_0012

SHEET NO. :

1 B.D.C. 08-24-23

OWNER:
HERITAGE HOME BUILDERS, LLC
9350 SOUTH DIXIE HIGHWAY
SUITE 1500
MIAMI, FL 33156
PHONE: 305.665.3077

REVISIONS:

AT THE BEACON CENTER
1330 NW 84th AVENUE
DORAL, FLORIDA 33126
TELEPHONE : (305) 592-1343
FACSIMILE : (305) 592-4845
http://www.ppkarch.com

COPYRIGHT © PASCUAL, PEREZ, KILIDDJIAN
& ASSOCIATES, ARCHITECTS - PLANNERS
The architectural design and detail drawings
of this building and/or overall project are the
legal property of and all rights are reserved
by the Architect. Their use for reproduction,
construction or distribution is prohibited unless
authorized in writing by the Architect.

ARCHITECTS • PLANNERS

LICENSE # AA 26001357

EDGARDO PEREZ, AIA

LICENSE No.: AR 0015394

MARIO P. PASCUAL, AIA

LICENSE No.: AR 0008254

PETER KILIDDJIAN, RA

LICENSE No.: AR 0093067

ANDREW STARR, RA

LICENSE No.: AR 0095130