

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 99

The lower the EnergyPerformance Index, the more efficient the home.

5900 SW 114 TER,PINECREST,FL,33156

1. New construction or existing	New (From Plans)	10. Wall Types(7578.0 sqft.)	Insulation	Area
2. Single family or multiple family	Detached	a. Concrete Block - Int Insul, Exterior R=4.1	7336.00	ft ²
3. Number of units, if multiple family	1	b. Concrete Block - Int Insul, Adjacent R=4.1	242.00	ft ²
4. Number of Bedrooms	6	c. N/A	R=	ft ²
5. Is this a worst case?	No	d. N/A	R=	ft ²
6. Conditioned floor area above grade (ft ²)	8311	11. Ceiling Types(4959.0 sqft.)	Insulation	Area
Conditioned floor area below grade (ft ²)	0	a. Roof Deck (Unvented)	R=30.0	4959.00 ft ²
7. Windows**	Description	b. N/A	R=	ft ²
a. U-Factor:	Sgl, U=1.03	c. N/A	R=	ft ²
SHGC:	SHGC=0.40	12. Ducts, location & insulation level	R	ft ²
b. U-Factor:	N/A	a. Sup: ZONE 1, Ret: ZONE 1, AH: ZONE 1	6	150
SHGC:		b. Sup: ZONE 2, Ret: ZONE 2, AH: ZONE 2	6	150
c. U-Factor:	N/A	c. 3 additional duct system(s)	(see details)	
SHGC:		13. Cooling Systems	kBtu/hr	Efficiency
Area Weighted Average Overhang Depth:	6.516 ft	a. Central Unit	56.0	SEER:16.00
Area Weighted Average SHGC:	0.400	b. Central Unit	46.5	SEER:16.00
8. Skylights	Description	3 additional cooling systems	(see details)	
U-Factor:(AVG)	N/A	14. Heating Systems	kBtu/hr	Efficiency
SHGC(AVG):	N/A	a. Electric Strip Heat	34.0	COP:1.00
9. Floor Types	Insulation	b. Electric Strip Heat	34.0	COP:1.00
a. Slab-On-Grade Edge Insulation	R= 0.0	3 additional heating systems	(see details)	
b. Floor Over Other Space	R= 0.0	15. Hot Water Systems		
c. N/A	R=	a. Propane Tankless	Cap: 1 gallons	
			EF: 0.920	
		b. Conservation features		None
				Pstat
		16. Credits		

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: _____

Address of New Home: 5900 SW 114 TER

City/FL Zip: PINECREST,FL,33156



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.