






NOTE:
REFER WALLS.
TO FLOOR PLAN FOR LOCATION OF SOUND INSULATION BLANKET WITHIN THE PARTITION
DEPTHS OF METAL STUDS SHOWN HERE ARE TYPICAL U.O.N. ON PLANS


9 PARTITION-WALL TYP.

SCALE: 1"=1'-0"



5 MASONRY - M5


SCALE: 1"=1'-0"



NOTE:
ALL FINISH MATERIALS BELOW D.F.E. SHALL BE FLOOD RESISTANT AS PER FEMA TECHNICAL
BULLETIN 2-2008 AND ASCE 24-14 CH. 5.0 (DUROCK CEMENT BOARD OR EQUIVALENT) TYP.


1 MASONRY - M1

SCALE: 1"=1'-0"




14 CONCRETE - C2

SCALE: 1"=1'-0"




10 PARTITION - P1

SCALE: 1"=1'-0"



6 MASONRY - M6


SCALE: 1"=1'-0"



NOTE:
ALL FINISH MATERIALS BELOW D.F.E. SHALL BE FLOOD RESISTANT AS PER FEMA TECHNICAL
BULLETIN 2-2008 AND ASCE 24-14 CH. 5.0 (DUROCK CEMENT BOARD OR EQUIVALENT) TYP.


2 MASONRY - M2

SCALE: 1"=1'-0"




15 CONCRETE - C3

SCALE: 1"=1'-0"




11 PARTITION - P2

SCALE: 1"=1'-0"



7 MASONRY - M7

SCALE: 1"=1'-0"



NOTE:
ALL FINISH MATERIALS BELOW D.F.E. SHALL BE FLOOD RESISTANT AS PER FEMA TECHNICAL
BULLETIN 2-2008 AND ASCE 24-14 CH. 5.0 (DUROCK CEMENT BOARD OR EQUIVALENT) TYP.


3 MASONRY - M3

SCALE: 1"=1'-0"




12 PARTITION - P3

SCALE: 1"=1'-0"




8 MASONRY - M8

SCALE: 1"=1'-0"



4 MASONRY - M4

SCALE: 1"=1'-0"



8 MASONRY - M8

SCALE: 1"=1'-0"

INSULATION VALUES:
ROOF: R-30
EXT. WALLS: R-4.1

NOTE:
• G.C. TO COORDINATE WITH ID/OWNER FOR WALL MATERIAL SELECTION AND LOCATION FOR PROPER BACKING TYPE
• PROVIDE 5/8" GOLD BOND XP GYPSUM WALL BOARD (PURPLE BOARD) THROUGHOUT WHERE APPLICABLE
• PROVIDE 5/8" GOLD BOND XP GYPSUM CEILING BOARD (PURPLE BOARD) THROUGHOUT WHERE APPLICABLE
• ALL GYPSUM BOARD TO RECEIVE LEVEL 5 TYPE FINISH CALCULATIONS VALUES
• LATICRETE WATER PROOFING SYSTEM BEHIND TILE AND OR STONE
• REFER TO SHEET A-103 FOR ADDITIONAL WATERPROOFING INFORMATION