

- Ⓢ SINGLE POLE TOGGLE SWITCH 20A, 120V.
Ⓢ THREE WAY SWITCH 20A, 120V.
Ⓢ DUPLEX RECEPTACLE 20A, 120V.
Ⓢ NEMA 14-50R FLUSH MOUNTING RECEPTACLE 220V, 4 WIRES.
Ⓢ GFI OUTLET
Ⓢ CEILING RECESSED LIGHT FIXTURE
Ⓢ EXTERIOR WALL LIGHT, 'SUITABLE FOR WET LOCATIONS' TYPE.
Ⓢ ELECTRICAL PANEL
Ⓢ JUNCTION BOX
Ⓢ SMOKE AND CARBON MONOXIDE DETECTOR
Ⓢ EXHAUST FAN
Ⓢ DISCONNECT BOX/NO BREAKER
WR WEATHER RESISTANT.
WP WEATHER PROTECTED.
V VAPOR RESISTANT (SEALED FIXTURE)

2 LEGEND AND ABBREVIATIONS
N.T.S




NEW ELECTRIC WATER HEATER SCHEDULE (TANK-LESS)									
MARK	RECIR PUMP INTEGRATED	INPUT (KW)	MANUFACTURER MODEL No.	TYPE	MAX CAPACITY	TEMP SET °	ENERGY FACTOR	PIPE FITTINGS	AREA SERVED
WH-1	NO	8.0	RHEEM MODEL: RTEX-08	TANK-LESS	--	110°F	0.93	1/2" NPT	FLOOR PLAN

1 ELECTRICAL FLOOR PLAN
SCALE: 1/4" = 1'-0"

DINIESTER MARCELO
PROFESSIONAL ENGINEER

6734 SW 136th CT
Miami-Dade, Florida, 33183
(786) 883-8229
305ENGINEERSERVICES@GMAIL.COM



THIS ITEM HAVE BEEN ELECTRONICALLY SIGNED AND SEALED BY DINIESTER MARCELO ON THE ADJACENT DATE USING A DIGITAL SIGNATURE.
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

PROJECT NAME AND LOCATION:

VICTOR LAU
RESIDENCE ADDITION

12805 SW 69nd Court
Miami, FL 33156

KEY PLAN:



SUBMITTALS:
NO. DATE DESCRIPTION:

REVISIONS:
NO. DATE DESCRIPTION:

01 10/29/2024 BUILDING DPT COMMENTS

DRAWING TITLE:

ELECTRICAL
FLOOR PLAN

PROJECT PHASE: PERMIT SET
ISSUE DATE: 04/25/2024
DRAWN BY: APPROVED BY:

SHEET NUMBER

E-2