

TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

MA8 TYPE MA8: CMU PTN
3" = 1'-0"



TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

MB8 TYPE MB8: STONE VENEER / PTN STUCCO / CMU PTN
3" = 1'-0"



TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

MC8 TYPE MC8: CMU / TILE
3" = 1'-0"



TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

MD8 TYPE MD8: STONE VENEER / PTN STUCCO / TILE
3" = 1'-0"



TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

TAG	STUD WIDTH	FURRING WIDTH
0	7/8"	2"
1	1 5/8"	2 3/4"
2	2 1/2"	3 5/8"
3	3 5/8"	4 3/4"
4	4"	5 1/8"
6	6"	7 1/8"

ME8 TYPE ME8: TILE / CMU AND GWB PTN
3" = 1'-0"



TAG	CMU WIDTH	MASONRY WIDTH
04	3 5/8"	3 5/8"
06	5 5/8"	5 5/8"
08	7 5/8"	7 5/8"
12	11 5/8"	11 5/8"

TAG	STUD WIDTH	FURRING WIDTH
0	7/8"	2"
1	1 5/8"	2 3/4"
2	2 1/2"	3 5/8"
3	3 5/8"	4 3/4"
4	4"	5 1/8"
6	6"	7 1/8"

MF8 TYPE MF8: CMU AND GWB PTN
3" = 1'-0"

GENERAL NOTES - MASONRY PARTITIONS

1. REFER TO INDICATED DRAWINGS FOR HEAD DETAILS; HEAD CONDITION AS APPLICABLE TO SUPPORT CONDITION
2. ALL CMU PTN TYPES SHALL COMPLY WITH REINFORCING DETAILS AS INDICATED ON THE STRL DWGS.
3. SEE PARTITION TAGS FOR FIRE RATING OF INDIVIDUAL PARTITIONS

WALL TAG LEGEND



FIRE RATING LEGEND

THE COMPLETE ASSEMBLY OF EACH PARTITION WITH A FIRE RATING TAG SHALL COMPLY WITH ALL REQUIREMENTS OF THE FIRE-RESISTANCE RATING CLASSIFICATION:

TAG	RATING CLASSIFICATION
0	NON-RATED PARTITION
1	60 MIN FIRE-RESISTANCE RATED PARTITION
2	120 MIN FIRE-RESISTANCE RATED PARTITION
3	180 MIN FIRE-RESISTANCE RATED PARTITION
4	240 MIN FIRE-RESISTANCE RATED PARTITION

MASONRY WIDTH LEGEND

TAG	MASONRY WIDTH
4	3-5/8"
6	5-5/8"
8	7-5/8"
10	9-5/8"
12	11-5/8"

STUD WIDTH LEGEND

TAG	STUD WIDTH
0	7/8" FURRING CHANNEL
1	1-5/8"
2	2-1/2"
3	3-5/8"
4	4"
5	5"
6	6"

PARTITION MODIFIER LEGEND

THE FOLLOWING NOTES APPLY TO THE FULL EXTENT OF EACH PTN, WHERE "PARTITION MODIFIER" CHARACTER(S) ARE SHOWN ON THE TAG:

TAG	DESCRIPTION
A	GROUT ALL CMU VOIDS SOLID
B	OOLITIC LIMESTONE VENEER WITH STUCCO BAND AND SMOOTH STUCCO FINISH ON THE EXTERIOR
C	LARGE FORMAT PORCELAIN TILE FINISH ON EACH SIDE OF THE MASONRY WALL
D	LARGE FORMAT TILE ON INTERIOR SIDE AND EXPOSED BLOCK ON THE EXTERIOR
E	SMOOTH STUCCO ON THE EXTERIOR SIDE AND LARGE FORMAT TILE ON THE INTERIOR
F	OOLITIC LIMESTONE VENEER WITH STUCCO BAND AND SMOOTH STUCCO FINISH ON THE EXTERIOR AND TILE ON THE INTERIOR SIDE
G	LARGE FORMAT TILE AND DRYWALL
H	OOLITIC LIMESTONE VENEER WITH STUCCO BAND AND SMOOTH STUCCO FINISH ON THE EXTERIOR AND GWB FURRING

TYPE.

X	EXTERIOR WALLS

PROJECT LEAD & CIVIL ENGINEERING:

KEITH
301 EAST ATLANTIC BLVD.
POMPANO BEACH, FL 33060
PH: (954) 788-3400
Florida Engineering Business License: CA7928
Florida Surveyor and Mapper Business License: LB6860
Florida Landscape Architecture Business License: LC26000457

LANDSCAPE ARCHITECT:

MKSK
801 INTERNATIONAL PARKWAY
LAKE MARY, FL 32746
407.871.9607
MKSKSTUDIOS.COM

ARCHITECT:

WANNEMACHER JENSEN ARCHITECTS
815 NORTHWEST 57 AVE. SUITE 219
MIAMI, FLORIDA 33126
727-822-5566
W.JARC.COM AA0002277

MECHANICAL, PLUMBING, & ELECTRICAL ENGINEERING:

SGM ENGINEERING
5301 WATERFORD DISTRICT DR.
SUITE 750
954-421-1944
SGMENGINEERING.COM CA-00006208

REVISIONS

NO.	DESCRIPTION	DATE
	ISSUED FOR BUILDING PERMIT	11/21/2024

ISSUE DATE:	**11/21/2024**
DESIGNED BY:	
DRAWN BY:	
CHECKED BY:	

Digitally signed by Natalia Livian
Date: 2024.11.20 16:17:04 -05'00'

NATALIA LIVIAN
AR 97614

CLIENT

VILLAGE OF PINECREST
PINECREST PARKS & RECREATION

PROJECT

GARY MATZNER PARK

SHEET TITLE

PARTITION TYPES

SHEET NUMBER A-800

KEITH PROJECT NUMBER 13861.00

STATUS: CONSTRUCTION DOCUMENTS

Drawing name: P:\2347 Gary Matzner Park\06 PRODUCTION\01 BIM\CAD LINKS\2024.0711 - Clean Title Block Edited\KR-GMP-TITLBK.dwg

Plotted by: diego On —