

Ali Residence**13505 SW 63 Ct. Pinecrest, FL 33156**

Mark	Size		SQ FT	Type	NOA	NOA Press	Calculated Press
	Width	Height					
1	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
2	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
3	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
4	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
5	20.87	71.75	10.4	Fixed	23-0911.02	-80/+80	-46.2/+42.6
6	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
7	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
8	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
9	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
10	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
11	21.00	71.75	10.5	Fixed	23-0911.02	-80/+80	-46.2/+42.6
12A	14.12	83.25	8.2	SL	FL29783.1	-90/+90	-57.0/+42.6
12B	14.12	83.25	8.2	SL	FL29783.1	-90/+90	-57.0/+42.6
13	64.00	83.25	37.0	FD	FL29783.1	-65/+65	-49.3/+38.7
14	23.25	71.75	11.6	Fixed	23-0911.02	-80/+80	-53.1/+40.6
15	25.50	24.75	4.4	HS	23-0911.05	-65/+65	-46.2/+42.6
16A	52.18	82.50	29.9	Fixed	23-0911.02	-72.5/+72.5	-50.9/+40.6
16B	52.18	82.50	29.9	Fixed	23-0911.02	-72.5/+72.5	-50.9/+40.6
16C	40.75	82.50	23.3	Fixed	23-0911.02	-80/+80	-50.9/+40.6
16D	40.75	106.75	30.2	Fixed	23-0911.02	-80/+80	-50.9/+40.6
17	205.75	79.62	113.8	SGD	23-0803.06	-71.1/+71.1	-43.1/+39.5
18	141.75	79.50	78.3	SGD	23-0803.06	-60/+60	-50.9/+40.6
19	37.00	25.12	6.5	HS	23-0911.05	-65/+65	-46.2/+42.6
20	31.50	81.00	17.7	FD	FL29783.1	-65/+65	-53.1/+40.6
21	141.75	79.50	78.3	SGD	23-0803.06	-60/+60	-43.1/+39.5
22	95.25	55.12	36.5	HS	23-0911.05	-61.6/+61.6	-49.3/+38.7
23	37.00	25.37	6.5	HS	23-0911.05	-65/+65	-46.2/+42.6
24	97.50	55.12	37.3	HS	23-0911.05	-61.6/+61.6	-42.3/+38.7
25A	72.37	55.12	27.7	HS	23-0911.05	-60.2/+60.2	-43.1/+39.5
25B	72.37	55.12	27.7	HS	23-0911.05	-60.2/+60.2	-43.1/+39.5
26	97.25	37.75	25.5	HS	23-0911.05	-65/+65	-43.1/+39.5
27	97.12	55.12	37.2	HS	23-0911.05	-61.6/+61.6	-42.3/+38.7
28	36.00	25.25	6.3	HS	23-0911.05	-65/+65	-46.2/+42.6
29	97.25	55.12	37.2	HS	23-0911.05	-61.6/+61.6	-42.3/+38.7
31	66.00	35.50	16.3	Fixed	23-0911.02	-80/+80	-53.1/+40.6
32	46.62	54.37	17.6	HS	23-0911.05	-65/+65	-44.2/+40.6
33	107.75	54.75	41.0	HS	23-0911.05	-60/+60	-48.1/+38.1
34A	34.25	54.75	13.0	Fixed	23-0911.02	-80/+80	-53.1/+40.6
34B	34.25	54.75	13.0	Fixed	23-0911.02	-80/+80	-53.1/+40.6

34C	110.00	54.75	41.8	HS	23-0911.05	-60/+60	-48.1/+38.1
34D	34.25	54.75	13.0	Fixed	23-0911.02	-80/+80	-53.1/+40.6
34E	34.25	54.75	13.0	Fixed	23-0911.02	-80/+80	-53.1/+40.6
35	9.00	54.75	3.4	Fixed	FL26095.2	-55/+65	-57.0/+42.6
36	95.00	54.00	35.6	HS	23-0911.05	-61.6/+61.6	-49.3/+38.7
37	95.00	54.00	35.6	HS	23-0911.05	-61.6/+61.6	-49.3/+38.7
38	23.75	54.00	8.9	Fixed	23-0911.02	-80/+80	-57.0/+42.6
39	96.75	54.00	36.3	HS	23-0911.05	-61.6/+61.6	-49.3/+38.7
40	27.75	54.00	10.4	Fixed	23-0911.02	-80/+80	-57.0/+42.6
41	26.37	26.00	4.8	HS	23-0911.05	-65/+65	-46.2/+42.6
42	26.37	26.00	4.8	HS	23-0911.05	-65/+65	-46.2/+42.6
43	94.87	54.12	35.7	HS	23-0911.05	-61.6/+61.6	-42.3/+38.7