

SDH_STUDIO


18206 NE 19TH AVE. SUITE 100
NORTH MIAMI BEACH, FL 33162
(305) 301-5015
INFO@SDHSTUDIO.COM

STEPHAN D. DE HALPERN
ARCHITECT P.A.
ARCH/REG-50155

GOOD MANGOS

9321 S.W. 67TH AVENUE,
PINECREST, FL, 33156

GOOD MANGOS RESIDENCE



NOTES/COMMENTS

REVISIONS / SUBMISSIONS

SECOND FLOOR

ALL DIMENSIONS AND MATERIALS ARE APPROXIMATE. FIELD DIMENSIONS SHALL BE USED FOR CONSTRUCTION. DIMENSIONS SHALL BE USED FOR CONSTRUCTION. DIMENSIONS SHALL BE USED FOR CONSTRUCTION.

DRAWN BY: SDH
CHECKED BY: RB
INITIAL DRAWING: ISSUE DATE:
RELEASE DATE:

A-102

WALL LEGEND

- 3 5/8" - 25 GA. MTL. STUDS @ 16" O.C. 5/8" GYP. BD. EA. SIDE. PROVIDE 5/8" DUROCK BOARD AT WET AREAS AND MOISTURE RESISTANT GREENBOARD AT AREAS SUBJECT TO MOISTURE (BATHROOMS).
- 6" - 25 GA. MTL. STUDS @ 16" O.C. 5/8" GYP. BD. EA. SIDE. PROVIDE 5/8" DUROCK BOARD AT WET AREAS AND MOISTURE RESISTANT GREENBOARD AT AREAS SUBJECT TO MOISTURE (BATHROOMS).
- NEW 8" C.M.U. WALL - SEE STRUCTURAL DWGS. FOR SPECIFICATIONS
- NEW 8" POUR-IN-PLACE CONCRETE WALL - SEE STRUCTURAL DWGS. FOR SPECIFICATIONS
- NEW 8" C.M.U. WALL W/ - 2"x2" P.T. WD OR 1 1/2" MTL. FLOORING @ 24" O.C. & R-7.8 INSULATION SEE STRUCTURAL DWGS. FOR SPECIFICATIONS

FOR ALL NOTES REFER TO SHEET A-001: FLOOR PLAN NOTES

2ND FLOOR
3/16" = 1'-0"

