

(WINDOW – DOOR) – SCHEDULE								
PAGE 1 OF 2								
MARK	TYPE	SIZE (WxH)	AREA IN SQ FEET	MANUFACTURER	PRODUCT APPROVAL	DESIGN PRESSURE ((PSF)	ALLOWABLE WIND PRESSURE (PSF)	ZONE
* ①	FIXED/CASE	36" x 42"	10.5	E.S. WINDOWS, LLC	23-0754.08	+43/-57	± 90	5
* ②	CASEMENT	36" x 76"	19	E.S. WINDOWS, LLC	23-0717.25	+43/-46	± 85.4	4
③	W.W.	310" x 117 ½"	352.9	E.S. WINDOWS, LLC	24-0321.07	+36/-40	± 60.4	4
④	PIVOT DOOR	72" x 117 ½"	29.4	E.S. WINDOWS, LLC	FL# 41358.1	+41/-44	± 95	4
⑤	W.W.	41" x 117 ½"	33.5	E.S. WINDOWS, LLC	24-0321.07	+41/-44	± 70	4
⑥	F. DOOR	36" x 117 ½"	29.4	E.S. WINDOWS, LLC	23-0324.12	+41/-53	± 120	5
⑦	JUMBO/FIXED	70 ½" x 117 ½"	57.6	E.S. WINDOWS, LLC	FL# 17897.5	+38/-48	± 70	5
* ⑧	FIXED/CASE	35" x 42"	10.2	E.S. WINDOWS, LLC	23-0754.08	+43/-57	± 90	5
* ⑧.1	CASEMENT	35" x 76"	18.5	E.S. WINDOWS, LLC	23-0717.25	+43/-57	± 85.4	5
⑨	W.W.	138" x 117 ½"	112.6	E.S. WINDOWS, LLC	24-0321.07	+43/-57	± 60.4	5
⑩	W.W.	36" x 117 ½"	29.4	E.S. WINDOWS, LLC	24-0321.07	+41/-53	± 70	5
⑪	S.G.D.	310" x 120"	43.1	E.S. WINDOWS, LLC	FL# 22267.1	+41/-44	± 62.2	4
⑫	S.G.D.	113" x 120"	47	E.S. WINDOWS, LLC	FL# 22267.1	+41/-44	± 54	4
⑬	S.G.D.	113" x 120"	47	E.S. WINDOWS, LLC	FL# 22267.1	+41/-53	± 54	5
⑭	S.G.D.	96" x 120"	40	E.S. WINDOWS, LLC	FL# 22267.1	+41/-53	± 66	5
⑮	S.G.D.	96" x 120"	40	E.S. WINDOWS, LLC	FL# 22267.1	+41/-53	± 66	5
⑯	S.G.D.	72" x 120"	30	E.S. WINDOWS, LLC	FL# 22267.1	+41/-53	± 54	5
* ⑰	FIXED/CASE	35" x 42"	10.2	E.S. WINDOWS, LLC	23-0754.08	+43/-57	± 90	5
* ⑰.1	CASEMENT	35" x 76"	18.5	E.S. WINDOWS, LLC	23-0717.25	+43/-57	± 85.4	5
⑱	W.W.	142" x 24"	23.7	E.S. WINDOWS, LLC	24-0321.07	+41/-44	± 59.1	4
⑲	CASEMENT	36" x 59"	14.6	E.S. WINDOWS, LLC	23-0717.25	+43/-57	± 90	5
* ⑳	FIXED/CASE	36" x 35"	8.7	E.S. WINDOWS, LLC	23-0754.08	+43/-57	± 90	5

FARROKH RASEKHI,P.E.
FL. LIC. # 38001

REVISIONS	BY

STRUCTURAL DESIGN, INC.

RESIDENTIAL, COMMERCIAL & INDUSTRIAL
18014 S.W. 18TH ST., MIAMI, FL 33156
TEL: (305) 252-4000 CERTIFICATE # 9008085
EMAIL: SD@SDINC.COM

CONTRACTOR: CLAUDIO RODRIGUEZ

TELEPHONE: 786-346-8721

PROJECT: NEW GLAZING AT:
9841 SW 73 CT.
PINECREST, FL 33156

DATE: 7/30/25

SCALE:

DRAFTER: F.A.

JOB: 25-190

SHEET: S-5