101677760

SECTION 1525
HIGH-VELOCITY HURRICANE ZONES—UNIFORM PERMIT APPLICATION

Florida Building Code 8th Edition (2023)
High-Velocity Hurricane Zone Uniform Permit Application Form

INSTRUCTION PAGE

COMPLETE THE NECESSARY SECTIONS OF THE UNIFORM ROOFING PERMIT APPLICATION FORM AND ATTACH THE REQUIRED DOCUMENTS AS NOTED BELOW:

Roof System	Required Sections of the Permit Application Form	Attachments Required See List Below
Low Slope Application	A,B,C	1,2,3,4,5,6,7
Prescriptive BUR-RAS 150	A,B,C	4,5,6,7
Asphalt Shingles	A,B,D	1,2,4,5,6,7
Concrete or Clay Tile	A,B,D,E	1,2,3,4,5,6,7
Metal Roofs	A,B,D	1,2,3,4,5,6,7
Wood Shingles and Shakes	A,B,D	1,2,4,5,6,7
Other	As Applicable	1,2,3,4,5,6,7

ATTACHMENTS REQUIRED:

1.	Fire Directory Listing Page
2.	From Product Approval: Front Page Specific System Description Specific System Limitations General Limitations Applicable Detail Drawings
3.	Design Calculations per Chapter 16, or if applicable, RAS 127 or RAS 128
4.	Other Component of Product Approval
5.	Municipal Permit Application
6.	Owners Notification for Roofing Considerations (Reroofing Only)
7.	Any Required Roof Testing/Calculation Documentation

INTERNATIONAL CODE COUNCIL®
Copyright © 2023 ICC. ALL RIGHTS RESERVED. Accessed by Rafael Ballesteros (rballesteros-c@miamigov.com), (-) Order Number #101677760 on Dec 07, 2023 01:49 PM (CST) pursuant to License Agreement with ICC. No further reproduction, no further reproductions by any third party, or distribution authorized. Single user only, copying and networking prohibited. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

101677760

Florida Building Code 8th Edition (2023)
High-Velocity Hurricane Zone Uniform Permit Application Form

Section A (General Information)

Master Permit No. BL-2023-1183 Process No. _____

Contractor's Name BLUE PANTHER ROOFING & CONTRUCTION CORP

Job Address 10300 SW 70 AVE

ROOF CATEGORY

- ☐ Low Slope
- ☐ Asphalt Shingles
- ☐ Mechanically Fastened Tile
- ☑ Metal Panel/Shingles
- ☐ Prescriptive BUR-RAS 150
- ☐ Mortar/Adhesive Set Tiles
- ☐ Wood Shingles/Shakes

ROOF TYPE

☑ New roof ☐ Repair ☐ Maintenance ☐ Reroofing ☐ Recovering

ROOF SYSTEM INFORMATION

Low Slope Roof Area (SF) X Steep Sloped Roof Area (SF) 250 Total (SF) 250 SQ FT

Section B (Roof Plan)

Sketch Roof Plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels, clearly identify dimensions of elevated pressure zones and location of parapets.

SEE ATTACHED ROOF PLAN :

INTERNATIONAL CODE COUNCIL®
Copyright © 2023 ICC. ALL RIGHTS RESERVED. Accessed by Rafael Ballesteros (rballesteros-c@miamigov.com), (-) Order Number #101677760 on Dec 07, 2023 01:49 PM (CST) pursuant to License Agreement with ICC. No further reproduction, no further reproductions by any third party, or distribution authorized. Single user only, copying and networking prohibited. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.


NEW ROOF
13
20
N/A
EXISTING ROOF
EXIST. WOOD FRAMING ROOF
EXIST. RIDGE LINE
NOTE ②
NOTE ①
"PIGGYBACK" TRUSSES TO BE CONNECTED TO EACH TRUSS W/ GA. GALV. STEEL TRUSS STRAP W/ 4-8d NAILS INTO TRUSS AND INTO "PIGGYBACK" TYP.

Florida Building Code 8th Edition (2023)

High Velocity Hurricane Zone Uniform Roofing Application Form for Miami-Dade County

---

Section D (Steep Sloped Roof System)

Roof System Manufacturer: METAL ROOFING SUPPLIERS LLC

Product Control Number: 25–0127.07

Minimum Design Wind Pressures, From Applicable RAS 127 Table or Calculations:

Zone1: -74 Zone 2: -108 Zone3: -128

Slope Range: (•) ≥ 2:12 to ≤ 4:12 ( ) > 4:12 to ≤ 6:12 ( ) > 6:12 to ≤ 12:12

Roof Shape: ( ) All Hip Roof (•) Gable Roof or Partial Gable/Hip Roof

Deck Type: 5/8 PLYWOOD DECK

Underlayment Type: POLYGLASS XFR (1 PLY)

Roof Slope: 4 : 12

Insulation: N/A

Fire Barrier: N/A

Ridge Ventilation? N/A

Fastener Type & Spacing: 4" -1 1/4 Ring Shank Nail Hot Dip Galvanize

Cap Sheet Type: N/A

Mean Roof Height: 14

Cap Sheet Attachment: SELF ADHERED

Roof Covering: englert series 1300 steel

Drip Edge Type & Size: 3"X3" GAL 26 GA