

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval

USER: Public User

[Product Approval Menu](#) > **Application Detail**

► OFFICE OF THE
SECRETARY

FL #

FL23223-R2

Application Type

Revision

Code Version

2023

Application Status

Approved

Comments

Archived

☐

Product Manufacturer

DAYBAR INDUSTRIES LIMITED

Address/Phone/Email

50 West Drive
Brampton, NON-US 32817
(905) 625-8000
dodson@daybar.com

Authorized Signature

John Knezevich
jwk@knezevich.com

Technical Representative

Address/Phone/Email

Quality Assurance Representative

Address/Phone/Email

Category

Exterior Doors

Subcategory

Swinging Exterior Door Assemblies

Compliance Method

Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer

☐ Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report

Walter A. Tillit, Jr., P.E.

Florida License

PE-44167

Quality Assurance Entity

Intertek Testing Services NA, Inc. - QA Entity

Quality Assurance Contract Expiration Date

12/31/2026

Validated By

John W. Knezevich, PE

☒ Validation Checklist - Hardcopy Received

Certificate of Independence

[FL23223_R2_COI_COI Dwg_23-179 Daybar.pdf](#)

Referenced Standard and Year (of Standard)

Standard

Year

TAS 201

1994

TAS 202

1994

TAS 203

1994

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

10/09/2023

Date Validated

10/09/2023

Date Pending FBC Approval

10/24/2023

Date Approved

12/13/2023

Summary of Products

FL #	Model, Number or Name	Description
23223.1	4080/8080 Commercial Steel Doors	Double & Single Series 8080 & 4080 Outswing Commercial Galvanneal and Stainless Steel Door - Flush or Embossed (Singles/Pairs) (Paper Honeycomb, Styrene, or Steel Rib Core) (Approved for Water Infiltration)
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Large Missile. Max ASD Design Load for 8080 series is +/- 50 psf and for 4080 series is +/- 70 psf.		Installation Instructions FL23223_R2_II_PED Dwg 23-179 Daybar.pdf Verified By: Walter A. Tillit Jr., P.E. PE 44167 Created by Independent Third Party: Yes Evaluation Reports FL23223_R2_AE_PER Dwg 23-179 Daybar.pdf Created by Independent Third Party: Yes

[Back](#)
[Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

